ELSEVIER

Volume 308, Numbers 1–2, 10 August 2000

Journal of ALLOYS AND COMPOUNDS

www.elsevier.com/locate/jallcom

Contents

Physics

Analysis of the electronic structure of intermetallic compounds, and application to structural defects in B2 phases 1
N. Börnsen, G. Bester, B. Meyer and M. Fähnle (Stuttgart, Germany)

Magnetic properties of $Sm_2(Fe,Ti)_{17}$ compounds and their nitrides with Th_2Zn_{17} and Th_2Ni_{17} structures 15
Ye.V. Shcherbakova, G.V. Ivanova, N.V. Mushnikov and I.V. Gervasieva (Ekaterinburg, Russia)

Magnetic interactions in nanocrystalline FeRh alloys studied by in field Mössbauer spectroscopy 21
V. Kuncser (Bucharest-Magurele, Romania), M. Rosenberg (Bochum, Germany), G. Principi, U. Russo (Padova, Italy), A. Hernando, E. Navarro (Madrid, Spain) and G. Filoti (Bucharest-Magurele, Romania)

Magnetic properties of $DyMn_2$ single crystals 30
E. Talik, M. Kulpa (Katowice, Poland), T. Mydlarz (Wroclaw, Poland), J. Kusz (Katowice, Poland and Mainz, Germany) and H. Böhm (Mainz, Germany)

Magnetic phase diagrams of Nb_xFe_{100-x} and Ta_xFe_{100-x} amorphous alloy systems 38
M. Ohta, A. Fujita and K. Fukamichi (Aoba-yama, Japan)

Towards a metallic YH_3 phase at high pressure 44
R.J. Wijngaarden, J.N. Huiberts, D. Nagengast, J.H. Rector, R. Griessen (Amsterdam, The Netherlands), M. Hanfland and F. Zontone (Grenoble, France)

Magnetic properties of coarse-grained and nanocrystalline Fe–Cr–Sn alloys 49
B.F.O. Costa (Coimbra, Portugal), G. Le Caër (Nancy, France), M.M. Amado, J.B. Sousa (Porto, Portugal) and N. Ayres de Campos (Coimbra, Portugal)

Frustrated magnetic behaviour of $TbRh_{1.2}Ru_{0.8}Si_2$ 56
W. Bażela (Kraków, Poland), J. Leciejewicz (Warszawa, Poland), M. Hofmann (Berlin, Germany), B. Penc and A. Szytuła (Kraków, Poland)

Chromium sublattice magnetic ordering in a compound of the $ThCr_2Si_2$ type structure: $HoCr_2Si_2$ 60
O. Moze (Modena, Italy), M. Hofmann (Berlin, Germany) and K.H.J. Buschow (Amsterdam, The Netherlands)

Chemistry

Structural and thermopower studies of $CeNiAl_4$- and $CeNiIn_4$-related compounds 64
K.M. Poduska, F.J. DiSalvo (Ithaca, NY, USA) and V. Petříček (Praha, Czech Republic)

Syntheses and crystal structures of the new compounds $BaFe_2(SeO_3)_4$, $AgFe(SeO_3)_2$ and $RbFe(SeO_4)(SeO_3)$ 71
G. Giester (Vienna, Austria)

Fabrication of $SrRuO_3$ powders and thin films by metalorganic decomposition 77
J.P. Mercurio, J.H. Yi, M. Manier and P. Thomas (Limoges, France)

The silver lead apatite $Pb_8Ag_2(PO_4)_6$: hydrothermal preparation 83
R. Ternane (Bizerte, Tunisia), M. Ferid, N. Kbir-Ariguib (Hammam-Lif, Tunisia) and M. Trabelsi-Ayedi (Bizerte, Tunisia)

Phase behavior in the system $La_xSr_{1-x}MnO_{(5+x)/2}$ (x=0.8–1.0) with trivalent state of manganese ion 87
T. Mori (Toyohashi, Japan), K. Inoue (Otsu, Japan) and N. Kamegashira (Toyohashi, Japan)

Photon cascade luminescence of Gd^{3+} in $GdBaB_9O_{16}$ 94
Z. Yang, J.H. Lin, M.Z. Su, Y. Tao and W. Wang (Beijing, PR China)

Hydrogen storage alloy of Mg_2NiH_4 hydride produced by hydriding combustion synthesis from powder of mixture metal . . . 98
L. Li (Sendai, Japan and Nanjing, PR China), T. Akiyama (Miyagi, Japan) and J.-i. Yagi (Sendai, Japan)

Microstructure and electrochemical behavior of a rapidly solidified $V_3TiNi_{0.56}Hf_{0.24}Mn_{0.15}Cr_{0.1}$ hydrogen storage alloy 104
Q.A. Zhang, Y.Q. Lei, L.X. Chen and Q.D. Wang (Hangzhou, PR China)

Elsevier Science S.A.

Synthesis and electrical properties of $Ba_2Nb_{5-x}Zr_xO_9$ . . . 109
K. Iwasaki, H. Takizawa, K. Uheda, T. Endo and M. Shimada (Miyagi, Japan)

Physical properties of a novel rare-earth boron carbide compound $Sc_3B_{0.75}C_3$ . . . 115
T. Mori, Y. Shi and T. Tanaka (Ibaraki, Japan)

Mechanochemical synthesis of $La_{0.7}Sr_{0.3}MnO_3$ by grinding constituent oxides . . . 121
Q. Zhang, T. Nakagawa and F. Saito (Sendai, Japan)

The ternary system Au–Cr–Sn and the crystal structure of $Au_{1.15}Cr_2Sn_{8.85}$ . . . 126
C. Walle, A. Neumann Torgersen, O.B. Karlsen, A. Kjekshus and B. Klewe (Oslo, Norway)

Photoluminescence at 1.54 μm in sol-gel-derived, Er-doped $BaTiO_3$ films . . . 134
H.X. Zhang, C.H. Kam, Y. Zhou, X.Q. Han, Q. Xiang, S. Buddhudu, Y.L. Lam and Y.C. Chan (Singapore, Singapore)

Synthesis of lead zirconate titanate from an amorphous precursor by mechanical activation . . . 139
X. Junmin, J. Wang and T. Weiseng (Singapore, Singapore)

Characterization of the vanadium–nitrogen system with nitrogen pressure isobars . . . 147
W.-E. Wang (Berkeley, CA, USA), Y.S. Kim (Idaho Falls, ID, USA) and H.S. Hong (Berkeley, CA, USA)

A solid nickel(II) complex with methionine sulfoxide . . . 153
P.P. Corbi (Araraquara, Brazil), P. Melnikov (Campo Grande, Brazil) and A.C. Massabni (Araraquara, Brazil)

Synergism by sublimation of volatile lanthanide β-diketonates . . . 158
N.P. Kuzmina, L.I. Martynenko, N.V. Chugarov, I.G. Zaitseva, A.N. Grigoriev and A.N. Yakushevich (Moscow, Russia)

Effect of Ni content on the structure, thermodynamic and electrochemical properties of the non-stoichiometric hydrogen storage alloys . . . 163
H. Ye, H. Zhang, J.X. Cheng and T.S. Huang (Shanghai, PR China)

Metallurgy

X-ray and electron diffraction analysis of the structure and the microstructure of the $Y_3(Fe_{0.933}V_{0.067})_{29}$ compound . . . 172
B. Lambert-Andron, D. Courtois, L. Pontonnier and J.F. Bérar (Cedex, France)

Theoretical analysis of occupational ordering in hexagonal interstitial compounds: carbides, nitrides and oxides with "ε-type" superstructures . . . 178
A. Leineweber and H. Jacobs (Dortmund, Germany)

Effect of titanium on the kinetics of the σ-phase formation in a small grain Fe–Cr alloy . . . 189
A. Blachowski, J. Cieślak, S.M. Dubiel and J. Zukrowski (Kraków, Poland)

Constitution and crystal growth of RE_2TMSi_3 intermetallic compounds . . . 193
G. Graw, H. Bitterlich, W. Löser, G. Behr, J. Fink and L. Schultz (Dresden, Germany)

Orthorhombic $TmGe_{\sim 1.9}$, with a $ZrSi_2$–$ErGe_{1.83}$ intergrowth structure . . . 200
G. Venturini (Vandoeuvre les Nancy, France)

Solidification phases and liquidus surface of the Al–Ni–Ru system above 50 at.% aluminium . . . 205
J. Hohls (Randburg, South Africa), L.A. Cornish (Wits, South Africa), P. Ellis (Randburg, South Africa) and M.J. Witcomb (Wits, South Africa)

Enthalpy of formation of the ternary τ′ phase in the Al–Cu–Zn system . . . 216
B. Legendre, Y. Feutelais (Chatenay-Malabry, France), J.M. San Juan (Bilbao, Spain) and I. Hurtado (Aachen, Germany)

A thermodynamic analysis of the Cu–Si system . . . 221
X. Yan and Y.A. Chang (Madison, WI, USA)

Materials Science

Solid state reactions in Ni–Al–Ti–C system by mechanical alloying . . . 230
K. Krivoroutchko, T. Kulik, H. Matyja (Warsaw, Poland), V.K. Portnoy and V.I. Fadeeva (Moscow, Russia)

Superplastic deformation behavior of spray-deposited hyper-eutectic Al–25Si alloy . . . 237
W.-J. Kim, J.H. Yeon and J.C. Lee (Seoul, South Korea)

Nd–Fe–B alloys containing NdAu nano particles . . . 244
Y. Tang, M.J. Kramer, K.W. Dennis and R.W. McCallum (Ames, IA, USA)

Investigation on precipitation in Zircaloy-2 fuel cladding tube . . . 250
D. Sen, S. Mazumder, R. Tewari, P.K. De (Mumbai, India), H. Amenitsch (Graz, Austria) and S. Bernstorff (Trieste, Italy)

A study on the development of hypo-stoichiometric Zr-based hydrogen storage alloys with ultra-high capacity for anode material of Ni/MH secondary battery 259
S.-M. Lee, H. Lee, J.-H. Kim, P.S. Lee and J.-Y. Lee (Taejon, South Korea)

Coherent phase diagram of Au–Cu–Pd ternary system near and within the two-phase region of Au_3Cu and AuCu I ordered phases 269
H. Winn, Y. Tanaka, T. Shiraishi (Nagasaki, Japan), K. Udoh (Fukuoka, Japan), E. Miura, R.I. Hernandez, Y. Takuma and K. Hisatsune (Nagasaki, Japan)

Thermodynamics of the $(Sm_2Fe_{17-x}Ga_x+H_2)$ system 275
M. Kubis, A. Handstein, B. Gebel, O. Gutfleisch, K.H. Müller and L. Schultz (Dresden, Germany)

Amalgams for fluorescent lamps. Part I: Thermodynamic design rules and limitations 280
M.H.R. Lankhorst (Eindhoven, The Netherlands) and U. Niemann (Aachen, Germany)

$CoFe_2O_4$ nanoparticles prepared by the mechanochemical method 290
Y. Shi, J. Ding and H. Yin (Singapore, Singapore)

A metastable phase crystallized from undercooled NdFeCoZrGaB alloy droplets 296
J. Gao (Cologne, Germany and Xian, China), Th. Volkmann (Cologne and Bochum, Germany) and D.M. Herlach (Cologne, Germany)

Ferritization of Y^{3+} and Nd^{3+} ions in the solid state 301
M. Ristić (Zagreb, Croatia), I. Felner, I. Nowik (Jerusalem, Israel), S. Popović (Zagreb, Croatia), I. Czakó-Nagy (Budapest, Hungary) and S. Musić (Zagreb, Croatia)

In-situ X-ray diffraction study on $LaNi_5$ and $LaNi_{4.75}Al_{0.25}$ in the initial activation process 309
Y. Nakamura and E. Akiba (Ibaraki, Japan)

Effect of Mn substitution on structure, magnetic properties and magnetostriction of $Sm_{0.9}Pr_{0.1}Fe_2$ 319
Z.J. Guo, Z.D. Zhang, X.G. Zhao, X.M. Jin and D.Y. Geng (Shenyang, People's Republic of China)

Author Index of Volume 308 323

Subject Index of Volume 308 325

Keyword list